



Wood flooring products are a natural choice both in terms of design and the environmental considerations. Contributing to a healthier indoor air quality and aesthetic. We present a carefully curated selection of stock products that can be delivered the next day.

Designed & Selected to work together in harmony.

engineered wood floors | hybrid wood floors | wood-based design floors

ter Flūrne

hw heritagewoodcraft

Welcome to the Volante Wood Brochure

This is intended as an overview of what we offer in relation to engineered wood flooring and wood based flooring products. The ranges within are exclusive to our business and sister companies, not available through general distribution. This exclusivity helps you win more business in both the commercial and residential markets.

The products are priced competitively and offer great quality, aesthetics and value for money. The ranges shown within are all available from stock on our next day delivery service.



Heritage Woodcraft

Heritage Woodcraft have been importing & distributing wood flooring for over 35 years. Their ranges are produced to their colour and specification requirements from established manufacturing partners and stocked in Hinckley ready for delivery within 48 hours.





Terhuerne UK

Terhuerne is a family owned manufacturer based in Sudlohn Germany. Manufacturing engineered wood flooring, hybrid wood floors, and wood based design flooring including laminate. Operating actively in the UK project market we now handle all the UK retail and contractor distribution. We offer a next day service on Dureco, Hywood and Selected laminates.

**FOR MORE INFORMATION SAMPLES AND PRODUCT BROCHURES
CALL 020 8947 6561**

The **Goodwood Collection** offers 8 colours in a rustic grade oak plank. With its locking system of installation and a board size of 190mm x 1900mm x 14mm it offers a well balanced colour range to compliment most interior schemes.



manufactured for Heritage Woodcraft
by



Ely

Article Number	GWC008	Board dimensions	1900 x 190 x 14 mm
Surface Treatment	Oil	Boards / pack	8
Refining Treatment	Brushed	Weight / pack	22 kg
Bevel	Microbevelled	Area / pack	2.88 m²
Grading	sided Dynamic	Area / pallet	129.6 m²
Natural / Stained	Stained		
Design	1-Strip		
Board Construction	3-Layer		
Wear Layer	2.5 mm		
Locking joint	Fold Down		

Product details
All naturally occurring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes very large sound and black knots and cracks. Knots and cracks will be present in all sizes and numbers.
Stained product - noticeable color change over time.



Starke

Article Number	GWC006	Board dimensions	1900 x 190 x 14 mm
Surface Treatment	Matt lacquer	Boards / pack	8
Refining Treatment	Brushed	Weight / pack	22 kg
Bevel	Microbevelled	Area / pack	2.88 m²
Grading	sided Dynamic	Area / pallet	129.6 m²
Natural / Stained	Natural		
Design	1-Strip		
Board Construction	3-Layer		
Wear Layer	2.5 mm		
Locking joint	Fold Down		

Product details
All naturally occurring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes very large sound and black knots and cracks. Knots and cracks will be present in all sizes and numbers.
Some muting of colour variation to medium, straw brown.



Rada

Article Number	GWC005	Board dimensions	1900 x 190 x 14 mm
Surface Treatment	Oil	Boards / pack	8
Refining Treatment	Brushed	Weight / pack	22 kg
Bevel	Microbevelled	Area / pack	2.88 m²
Grading	4-sided Dynamic	Area / pallet	129.6 m²
Natural / Stained	Natural		
Design	1-Strip		
Board Construction	3-Layer		
Wear Layer	2.5 mm		
Locking joint	Fold Down		

Product details
All naturally occurring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes very large sound and black knots and cracks. Knots and cracks will be present in all sizes and numbers.
Some muting of colour variation to medium, straw brown.



Priam

Article Number	GWC003	Board dimensions	1900 x 190 x 14 mm
Surface Treatment	Oil	Boards / pack	8
Refining Treatment	Brushed, Handscraped	Weight / pack	22 kg
Bevel	Microbevelled	Area / pack	2.88 m²
Grading	4-sided Dynamic	Area / pallet	129.6 m²
Natural / Stained	Stained		
Design	1-Strip		
Board Construction	3-Layer		
Wear Layer	2.5 mm		
Locking joint	Fold Down		

Product details
All naturally occurring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes very large sound and black knots and cracks. Knots and cracks will be present in all sizes and numbers.
Stained product - noticeable color change over time.



Radium

Article Number	GWC007	Board dimensions	1900 x 190 x 14 mm
Surface Treatment	Oil	Boards / pack	8
Refining Treatment	Brushed, Handscraped	Weight / pack	22 kg
Bevel	Microbevelled 4-sided	Area / pack	2.88 m²
Grading	Dynamic	Area / pallet	129.6 m²
Natural / Stained	Natural		
Design			
Board Construction	1-Strip		
Wear Layer	3-Layer		
Locking joint	2.5 mm Fold Down		

Product details
All naturally occurring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes very large sound and black knots and cracks. Knots and cracks will be present in all sizes and numbers.
Some muting of colour variation to medium, straw brown.



Isoline

Article Number	GWC002	Board dimensions	1900 x 190 x 14 mm
Surface Treatment	Oil	Boards / pack	8
Refining Treatment	Brushed, Handscraped	Weight / pack	22 kg
Bevel	Smoked Microbevelled 4-sided	Area / pack	2.88 m²
Grading	Dynamic	Area / pallet	129.6 m²
Natural / Stained	Stained		
Design			
Board Construction	1-Strip		
Wear Layer	3-Layer		
Locking joint	2.5 mm Fold Down		

Product details
All naturally occurring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes very large sound and black knots and cracks. Knots and cracks will be present in all sizes and numbers.
Smoked product - noticeable color change over time.



Vauban

Article Number	GWC004	Board dimensions	1900 x 190 x 14 mm
Surface Treatment	Oil	Boards / pack	8
Refining Treatment	Brushed	Weight / pack	22 kg
Bevel	Microbevelled	Area / pack	2.88 m²
Grading	4-sided Dynamic	Area / pallet	129.6 m²
Natural / Stained	Stained		
Design	1-Strip		
Board Construction	3-Layer		
Wear Layer	2.5 mm		
Locking joint	Fold Down		

Product details
All naturally occurring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes very large sound and blackknots and cracks. Knots and cracks will be present in all sizes and numbers.
Stained product - noticeable color change over time.



Trayles

Article Number	GWC001	Board dimensions	1900 x 190 x 14 mm
Surface Treatment	Oil	Boards / pack	8
Refining Treatment	Brushed, Smoked	Weight / pack	22 kg
Bevel	Microbevelled 4-sided	Area / pack	2.88 m²
Grading	Dynamic	Area / pallet	129.6 m²
Natural / Stained	Stained		
Design	1-Strip		
Board Construction	3-Layer		
Wear Layer	2.5 mm		
Locking joint	Fold Down		

Product details
All naturally occurring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes very large sound and blackknots and cracks. Knots and cracks will be present in all sizes and numbers.
Smoked product - noticeable color change over time.



SURFACE TREATMENT



Matt lacquer

Our matt lacquer gives the impression of untreated bare boards. The velvety surface is irresistibly tactile and pleasing underfoot, yet matt lacquer is as hardwearing and easy to maintain as satin lacquer.



Nature oil

Our nature oil reinforces the natural look. It brings out the texture and grain of the wood, and enhances the tone. Floors treated with nature oil are easy to maintain, but they need a little more care than our lacquered floors and should be treated regularly with Kährs Satin Oil.

DESIGN FEATURES



Stained /Smoked

Stains are used to further enhance the natural colour tones of the wood – from palest white and whisper greys to shades of rich mocha and charcoal. Some designs have also been smoked to enhance the colour of the design.



Brushed

Brushing the surface highlights the natural structure of the grain and accentuates the texture. Brushing is usually accompanied by other surface treatments, such as a bevelled finish and a colour stain or glaze.



Handscraped

Handscraping adds to the texture of a floor – for a somewhat distressed and worn appearance typical of very rustic designs.



Bevelled edges

Bevelled edges add a touch of drama to a floor. Bevelled styles vary from a micro-bevel – a slight accentuation of the edge using sandpaper – to a more dramatic, stronger bevel. In each style, both long and short edges are bevelled.

GRADING



Dynamic

Dynamic, warm and rustic character. Dynamic grade floors are made from boards with knots and cracks that give them a lively and dramatic, yet warm character. They feature a broad variety of colour tones.

DESIGN



1-Strip Design

The surface of a 1-strip board is made in one piece. This emphasises the natural beauty and accentuates every detail, from variations in colour and grain, to individual knots.

UNDERFLOOR HEATING



Kährs wood floors are suitable for installation above underfloor heating systems. A vapour barrier should always be used between the heating system and wood floor. Kährs recommends its Tuplex underlay, which combines an underlay with a vapour barrier.


It is important that the system is turned off before installation and that the surface temperature never exceeds 27°C across the entire surface (including under rugs and furniture), as this could create humidity/moisture issues.

KÄHRS GUARANTEE

Hundreds of people and thousands of eyes scrutinise every piece of wood that goes into Kährs flooring. They select the trees in the forests, guide the saw blades in our saw mills, examine each board to find the perfect raw materials and inspect every inch of flooring before it is delivered. Whilst we also have high-tech machines, we still rely on the human eye to match the different hues, structures and qualities that make Kährs floors unique. We are very proud of our products and offer 20 years warranty on our GoodWood Collection.



ACCESSORIES



Reducer Moulding



Edge Moulding



T-Moulding



Matching solid mouldings



Tuplex Underlay

Antimicrobial Cleaner



DISPLAY SOLUTIONS

We have a number of showroom sampling solutions for displaying the GoodWood Collection and other Kährs products in your showroom.

Please contact your local area sales manager for more information and to see the full range of display options.

GoodWood Collection Display Stand

RCDB stand including 8x samples. Contact your Area Sales Manager for more information.



GoodWood Collection Swatches

Swatch sets are available. Contact your Area Sales Manager for more information.

Woodcraft Collection

The **Woodcraft Collection** offers 8 colours in a rustic grade oak plank. With its T & G system of installation and a board size of 190mm x 1900mm x 14mm it offers a well balanced colour range to compliment most interior schemes.

COLLECTION OVERVIEW



WOODCRAFT COLLECTION



Feather

1-Strip T&G

Product Specification

Board Dimensions:	14 x 190 x 1900mm
Pack Size:	2.888m ²
Wear Layer:	3mm
Finish:	Brushed & UV Oiled
Locking Joint:	T&G
Bevel Detail:	4V Bevel
Underfloor Heating:	Suitable for Underfloor Heating
Item Code:	WCC002

Key Features



14mm Thick



4V Bevel




T&G Fixing



Suitable for UFH



Rustic Grade



All naturally occurring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes very large sound and black knots and cracks. Knots and cracks will be present in all sizes and numbers.

Rabbet

1-Strip T&G

Product Specification

Board Dimensions:	14 x 190 x 1900mm
Pack Size:	2.888m ²
Wear Layer:	3mm
Finish:	Brushed & UV Oiled
Locking joint:	T&G
Bevel Detail:	4V Bevel
Underfloor Heating:	Suitable for Underfloor Heating
Item Code:	WCC003

Key Features



14mm Thick



4V Bevel




T&G Fixing



Suitable for UFH



Rustic Grade



All naturally occurring wood colour variations allowed, from light to dark brown.
Sapwood may occur. The product includes very large sound and black knots and cracks.
Knots and cracks will be present in all sizes and numbers.

Dovetail

1-Strip T&G

Product Specification

Board Dimensions:	14 x 190 x 1900mm
Pack Size:	2.888m ²
Wear Layer:	3mm
Finish:	Smoked, Whitewashed, Brushed & UV Oiled
Locking Joint:	T&G
Bevel Detail:	4V Bevel
Underfloor Heating:	Suitable for Underfloor Heating
Item Code:	WCC004

Key Features



14mm Thick



4V Bevel




T&G Fixing



Suitable for UFH



Rustic Grade



All naturally occurring wood colour variations allowed, from light to dark brown.
Sapwood may occur. The product includes very large sound and black knots and cracks.
Knots and cracks will be present in all sizes and numbers.

Biscuit

1-Strip T&G

Product Specification

Board Dimensions:	14 x 190 x 1900mm
Pack Size:	2.888m ²
Wear Layer:	3mm
Finish:	Brushed & UV Oiled
Locking Joint:	T&G
Bevel Detail:	4V Bevel
Underfloor Heating:	Suitable for Underfloor Heating
Item Code:	WCC005

Key Features



14mm Thick



4V Bevel




T&G Fixing



Suitable for UFH



Rustic Grade



All naturally occurring wood colour variations allowed, from light to dark brown. Sapwood may occur. The product includes very large sound and black knots and cracks. Knots and cracks will be present in all sizes and numbers.

Mortice

1-Strip T&G

Product Specification

Board Dimensions:	14 x 190 x 1900mm
Pack Size:	2.888m²
Wear Layer:	3mm
Finish:	Brushed & UV Oiled
Locking joint:	T&G
Bevel Detail:	4V Bevel
Underfloor Heating:	Suitable for Underfloor Heating
Item Code:	WCC006

Key Features



14mm Thick



4V Bevel




T&G Fixing



Suitable for UFH



Rustic Grade



All naturally occurring wood colour variations allowed, from light to dark brown.
Sapwood may occur. The product includes very large sound and black knots and cracks.
Knots and cracks will be present in all sizes and numbers.

Tenon

1-Strip T&G

Product Specification

Board Dimensions:	14 x 190 x 1900mm
Pack Size:	2.888m ²
Wear Layer:	3mm
Finish:	Matt Lacquered
Locking Joint:	T&G
Bevel Detail:	4V Bevel
Underfloor Heating:	Suitable for Underfloor Heating
Item Code:	WCC007

Key Features



14mm Thick



4V Bevel




T&G Fixing



Suitable for UFH



Rustic Grade



All naturally occurring wood colour variations allowed, from light to dark brown.
Sapwood may occur. The product includes very large sound and black knots and cracks.
Knots and cracks will be present in all sizes and numbers.

Foxtail

1-Strip T&G

Product Specification

Board Dimensions:	14 x 190 x 1900mm
Pack Size:	2.888m ²
Wear Layer:	3mm
Finish:	Brushed & UV Oiled
Locking Joint:	T&G
Bevel Detail:	4V Bevel
Underfloor Heating:	Suitable for Underfloor Heating
Item Code:	WCC008

Key Features



14mm Thick



4V Bevel




T&G Fixing



Suitable for UFH



Rustic Grade



All naturally occurring wood colour variations allowed, from light to dark brown.
Sapwood may occur. The product includes very large sound and black knots and cracks.
Knots and cracks will be present in all sizes and numbers.

Display Solutions

Showroom Display Stands

We have a number of showroom sampling solutions for displaying the Woodcraft Collection in your showroom. Please contact your local area sales manager for more information and to see the full range of display options.

Stand Dimensions:	550mm (W) x 1980mm (H) x 555mm (D)
Board Dimensions:	550mm (W) x 850mm (H)
Sample Boards:	8x Decors



Hand Swatchbooks

To enhance our showroom display stands, we offer hand swatchbooks featuring all the colors in our range. These easy-to-carry swatchbooks are perfect for interacting with customers and showcasing the full spectrum of options available. For more details, please contact your local Area Sales Manager.





ter Hürne



Product structures

- 1 Nature Protec surface sealant
- 2 Design layer made of real wood
- 3 Wood powder layer made of wood powder and high-grade resins
- 4 Aqua Seal baseboard made of extremely high-density wood fibres
- 5 Aqua-Seal profiling „CLICKitEasy Pro“
- 6 Wood powder layer made of wood powder and high-grade resins
- 7 Stabilising layer made of real wood



Hywood

HYBRID WOOD FLOORING

More information
about Hywood:



<https://www.terhuerna.com/Produkte/Hywood/Ueberblick/>




*Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).

SINCE 1958
MADE IN GERMANY

*CLICKIT EASY Pro is the click connection for wide and extra-wide plank formats. Suitable for floating and glue down installations.
**CLICKIT EASY HB is the click connection for herringbone. Suitable for floating and glue down installations. Suitable for water-based and electric underfloor heating systems.
***Only suitable for electric surface heating systems fitted with gentle warm-up technology and a control unit for automatic dew point regulation. Heating systems with reverse cycle cooling must be fitted with an automatic control unit for dew point regulation.
****Only planks/Extra wide-planks

ter Hürne Hywood

UK Stock
Options




Dimensions

2197 x 233 x 11 mm (L x W x H)



Lifetime Residential Warranty | 10 Year Commercial Warranty



A true hybrid

It is made of real wood, but it is not engineered hardwood flooring.
It is highly durable, but it is not a design floor.

It combines the best of two worlds and creates something new.
That is exactly what it is: Hywood, the highly durable, real wood hybrid floor.

Hywood comes from the world of wood, because it is made of wood – through and through.

It is real, it is precious and naturally beautiful. But most of all, it is sensual. It simply has everything you want from wood.

Yet Hywood is clearly superior to a floor made of wood, because Hywood uses a combination of three technologies – and the most important of these is wood powder. Together they become highly resistant – to water, deep scratches, pressure marks and dirt. In short: resistant to everything a floor has to deal with on a daily basis, when living intensively on it and with it.

And despite its superiority, at its core, Hywood remains true to itself. This is because it is a genuine wood product – providing a natural, sustainable and healthy home environment.

Hywood is for people who love and want wood, but at the same time do not wish to compromise when it comes to functionality – and all of this at an attractive price.

FORMATS AND DESIGNS

The right dimension for your
sense of spaciousness



Long Plank
2003 x 245 x 12 mm



Plank
1288 x 195 x 12 mm



Natural stone
638 x 330 x 12 mm

PLASTIC FREE DESIGN FLOORING

Our Dureco floor combines two polar opposites. On the one hand, it is made almost entirely from wood. On the other, it repels water very consistently.

Dureco is plastic-free. It consists mainly of natural and sustainable materials. The core is made of wood fibres.

Wood and water do not normally get on well together. With Dureco, we have overcome this barrier thanks to our SEAL technology. This is a combination of various performance components, which together form a composite to provide effective protection. SEAL prevents standing water from penetrating into the floor – for up to 48 hours. With Dureco, life is always relaxed. As well as sustainable and lived in a healthy home environment.



NATURAL STONE - STRONG

Stone Edition

Stone Lamu* | natural stone



Oak Sky Lounge*
1101280054 | 638 x 330 x 12 mm | natural stone



Stone Lamu*
1101280055 | 638 x 330 x 12 mm | natural stone




Stone Pluket*
1101280053 | 638 x 330 x 12 mm | natural stone

PRODUCT INTELLIGENCE

Made smart - Strong

- 1 Top Layer**
Surface sealing wear layer
made of a resin bond
corundum coating
- 2 Design Layer**
Decorative design layer
made of wood fibre
- 3 Coreboard**
Water-resistant base board
made of wood fibre that is
compressed into extremely high density
- 4 SmartConnect Pro Aqua**
Water-resistant connection profile
- 5 Backing Layer**
Stabilising layer made of wood pulp



** Suitable for hot water and electric underfloor heating systems.

For electric surface heating systems with gentle warm-up technology and temperature control unit.

If heating systems are fitted with re-cooling, they must be equipped with automatic dew point control.

STRONG



PLANK - STRONG

Classic Edition

Oak Fiji* plank



Oak Barbados*
1101260060 | 1288 x 195 x 12 mm | plank



Oak Elba*
1101260041 | 1288 x 195 x 12 mm | plank



Oak Cocoa*
1101260049 | 1288 x 195 x 12 mm | plank



Oak Fiji*
1101260047 | 1288 x 195 x 12 mm | plank



Oak Gotland*
1101260061 | 1288 x 195 x 12 mm | plank



Oak Jamaica*
1101260046 | 1288 x 195 x 12 mm | plank



Oak Tahiti*
1101260048 | 1288 x 195 x 12 mm | plank



Oak Vadoo*
1101260043 | 1288 x 195 x 12 mm | plank



Oak Malibu*
1101260044 | 1288 x 195 x 12 mm | plank



Oak Madeira*
1101260042 | 1288 x 195 x 12 mm | plank



Oak Zanzibar*
1101260045 | 1288 x 195 x 12 mm | plank



Oak Santorini*
1101260052 | 1288 x 195 x 12 mm | plank



Larch Bornholm*
1101260040 | 1288 x 195 x 12 mm | plank



Oak Arousa*
1101260036 | 2003 x 245 x 12 mm | long plank



Oak Capri*
1101260038 | 2003 x 245 x 12 mm | long plank



Oak Bonaire*
1101260037 | 2003 x 245 x 12 mm | long plank



Oak Fuerteventura*
1101260033 | 2003 x 245 x 12 mm | long plank



Oak Jersey*
1101260034 | 2003 x 245 x 12 mm | long plank



Oak Menorca*
1101260039 | 2003 x 245 x 12 mm | long plank



Oak Senja*
1101260035 | 2003 x 245 x 12 mm | long plank



Made smart - Silent

Did you Know?

Our special surface structure is antibacterial, allergy-friendly, hygienic and easy to clean.

- 1 **Top Layer**
Surface sealing wear layer
made of a resin bond
corundum coating
- 2 **Design Layer**
Decorative design layer
made of wood fibre
- 3 **Coreboard**
Water-resistant base board
made of wood fibre that is
compressed into extremely high density
- 4 **SmartConnect Pro Aqua**
Water-resistant connection profile
- 5 **Integrated cork impact**
sound insulation



** Suitable for hot water and electric underfloor heating systems.

For electric surface heating systems with gentle warm-up technology and temperature control unit.

If heating systems are fitted with re-cooling, they must be equipped with automatic dew point control.



Oak Bali*
1101330004 | 1288 x 195 x 7 mm | plank



Oak Curacao*
1101330002 | 1288 x 195 x 7 mm | plank



Oak Djerba*
1101330003 | 1288 x 195 x 7 mm | plank



Oak Ibiza*
1101330005 | 1288 x 195 x 7 mm | plank



Oak Iceland*
1101330001 | 1288 x 195 x 7 mm | plank



Oak Negros*
1101330006 | 1288 x 195 x 7 mm | plank



Oak Corsica*
1101330009 | 2003 x 245 x 7 mm | long plank



Oak Hawaii*
1101330010 | 2003 x 245 x 7 mm | long plank



Oak Mykonos*
1101330012 | 2003 x 245 x 7 mm | long plank



Oak Palau*
1101330008 | 2003 x 245 x 7 mm | long plank



Oak Tonga*
1101330011 | 2003 x 245 x 7 mm | long plank



Oak Vanuatu*
1101330007 | 2003 x 245 x 7 mm | long plank

Terhuerne Range Displays | Plank Rack



Displays 12 full or half boards.

Can be fitted against a wall or back to back.

Small store footprint with full board samples.

Available for Hywood | Dureco Strong | Dureco Silent.

Easy release for presentation of full boards on floor.

Hywood Full Plank Display on Side.

£250 per unit (rebateable)

OTHER SAMPLE FORMATS AVAILABLE

The Art of the Possible

This brochure provides information on the stock ranges that are available on **next day delivery**.

Our business can offer even more if you have time to wait for your delivery. With our links into manufacturing we can provide a multitude of other wooden flooring products, wood oils, lacquers, accessories and installation products.

Our project team can help create individual floors to your customer requirements.

UNFINISHED ENGINEERED WOOD FLOORING

HERRINGBONE WOOD FLOORS

LARGE DIMENSION PLANKS UP TO 5M LONG

CUSTOM OILED WOODEN FLOORS

LAMINATE FLOORING

FULL RANGE OF TERHUERNE BRANDED FLOORING SOLUTIONS

PROJECT PACKAGES FROM MANUFACTURE TO DELIVERY

CLEARANCE MATERIALS & SPECIALS

For more information on the Art of the Possible

CALL

Brian Colverd
07766 072499

Simon Woodward-Williams
07785 355362

CONTACTS

CLAIRE BOND

Mobile : 07802 949934

e-mail : claire.bond@volante.uk.net

KT & TW postcodes | Berkshire | Buckinghamshire | Hertford | Middlesex |
Oxfordshire | West side A3 Surrey Borders

MIRKA MIHULCOVA

Mobile : 07720 397703

e-mail : mirka.mihulcova@volante.uk.net

BR, CR, SE & SW postcodes | East London | North London

NATALIE WOODS

Mobile : 07931 100101

e-mail : natalie.woods@volante.uk.net

RH & SM postcodes | West Sussex | East side A3 Surrey Borders

SHARON CONNOLLY

Mobile : 07793 666161

e-mail : sharon.connolly@volante.uk.net

Kent | Essex | South East

NIKITA CLARKE

Mobile : 07944 568825

e-mail : nikita.clarke@volante.uk.net

Merchandising & Marketing Support - All Areas

BRIAN COLVERD

Mobile : 07766 072499

e-mail : brian.colverd@thewoodman.uk.net

Wood Category Manager - All areas.



VOLANTE LTD

50 Cox Lane | Chessington | Surrey | KT9 1TW

Telephone : 020 8947 6561

e-mail : sales@volante.uk.net